Figure I





Figure II



(N)

4 B/TJ . Unoven Dostig (4 mg) at 7 any 8 mag at 11 pm) 1 cm 10 pm Time of Day (Bosing Day 4) Vilarrin Bu 7 pan Correntinist Dosing (Angle 12 mag doen at 7 em) 10 ay 7 ain level smæd

Figure 111

Figure 1V

<u>1</u>.-1

Bonzodlaziphia Administered qtit to Treat Arwiety






Figure V

Ternzonin Hydrochlorida Administared q12h to Tinat Hyportenskon (For Potential Haart Attack Pation)



Tiernzosin Efydrochkuikla Administerad BIO to Tient Efypertension (For Polental Heat Attack Politza)



Veraparnil (Calcium Channel Blocker) Achitrilstered CiD to Treat Hypertension




Figure VIII

:

Clinicities (112 Antagonist) Administered BID to Treat GEND




Figure 1X

4 8111 Cirrelkline (H2 Antagonist) Administered UID to Treat Gastric Ulcon **1** 2011 10 pm Sich Black Inch 7 pm 4 pri l pm Sub - Phorapratic Level to am

Therspeutic Efficacy Lavel


7 חח

(400) mg of 1 am, 200 mg at 11 pm)

Tune of Day (Uosing Day 4)

Conventional Existing formal 300 ing itsea of 7 or and 11 pink

Figure X



...